



UNIVERSITI PUTRA MALAYSIA

***RISK ASSESSMENT FOR SAFETY AND HEALTH ALGORITHM FOR
BUILDING CONSTRUCTION IN OMAN***

SAUD SAID AL-ANBARI

FK 2015 168



**RISK ASSESSMENT FOR SAFETY AND HEALTH ALGORITHM FOR BUILDING
CONSTRUCTION IN OMAN**

By

SAUD SAID AL-ANBARI

**Thesis Submitted to the School of Graduate Studies, Universiti Putra Malaysia,
Faculty of Engineering, in Fulfilment of the Requirements for the Degree of
Doctor of Philosophy**

April 2015

COPYRIGHT

All material contained within the thesis, including without limitation text, logos, icons, photographs, and all other artwork, is copyright material of Universiti Putra Malaysia unless otherwise stated. Use may be made of any material contained within the thesis for non-commercial purposes from the copyright holder. Commercial use of material may only be made with the express, prior, written permission of Universiti Putra Malaysia.

Copyright© Universiti Putra Malaysia



Abstract of thesis presented to the Senate of Universiti Putra Malaysia in Fulfilment
of the requirement for the degree of Doctor of Philosophy

**RISK ASSESSMENT FOR SAFETY AND HEALTH ALGORITHM FOR
BUILDING CONSTRUCTION IN OMAN**

By

SAUD SAID AL-ANBARI

April 2015

Chairman: Khalina binti Abdan, PhD
Faculty: Engineering

Building construction is extremely hazardous. Numerous fatal and non-fatal vocational injuries occur due to the unique nature of the building construction workplace. The swift expansion of the Omani economy has led to the extensive expansion of infrastructure and resources in the construction sector. Hazard Identification, Risk Assessment and Risk Control (HIRARC) is a structured approach for identifying, evaluating and controlling hazards in the work place. Risk assessment matrices are widely used to evaluate risks related to such hazards. Existing risk matrices are designed based on brainstorming sessions, which may make these matrices risky to use because such sessions are based mainly on experience and knowledge about the decision at hand.

The general objective of this study is to carry out a Risk Assessment for Safety and Health (RASH) algorithm for building construction in Oman and to develop a calculation methodology to evaluate safety and health. The RASH algorithm is defined by overall risk, which is equivalent to the sum of Risk Safety Safety, Risk Safety Health, Risk Health Safety, and Risk Health Health. By implementing definitions of safety and health on the identified extreme and high-risk levels, the key risks in this study have been classified into safety risks and health risks. Then, the safety risks have been categorized into 11 factors, and the health risks have been categorized into 8 factors.

Using these two categories of risk, four scenarios reflecting the four zones of the occupational safety and health risk matrix were designed. Then, 40 safety and health specialists were involved in carrying out a risk assessment using the existing method of risk analysis (RA) and the new proposed method of RASH. The Wilcoxon Ranked Test was applied to evaluate the differences between these two methods. It was found that there were differences between the percentages of correct answers found by the two methods, as follows: 75% of RASH answers were correct, and 40% of RA answers were correct. The results revealed that the two methods are significantly different ($z=0.357$, $p < 0.01$). It was also found that RA respondents tend to overestimate risk, even when conditions were very safe. This common mistake has cost and time implications in construction activities.

It was found that 60% of evaluations using RA might be estimated mistakenly. From the analysed results, it is recommended that organizations refrain from relying on the RA to prepare risk assessments and mitigation plans. Instead, it is suggested that results be verified with an alternative method of assessing risk, such as RASH. In conclusion, RASH is an alternative and effective method for the assessment of safety and health risks in building construction in Oman.



Abstrak tesis yang dikemukakan kepada Senat Universiti Putra Malaysia sebagai memenuhi keperluan untuk ijazah Doktor Falsafah

ALGORITMA PENILAIAN RISIKO UNTUK KESELAMATAN DAN KESIHATAN PEKERJAAN UNTUK PEMBINAAN BANGUNAN DI OMAN

Oleh

SAUD SAID AL-ANBARI

April 2015

Pengerusi: Prof.Madya Khalina binti Abdan, PhD
Fakulti: Kejuruteraan

Pembinaan bangunan adalah suatu tempat kerja yang sangat berbahaya di mana kecederaan vokasional boleh membawa maut atau tidak paling kerap berlaku disebabkan aktiviti kerja yang unik dan berbahaya. Pengembangan pantas ekonomi Oman telah membawa kepada peningkatan tinggi pada infrastruktur dan sumber dalam sektor ini. Pengenalpastian bahaya, penilaian risiko dan pengawalan risiko Hazard Identification, Risk Assessment & Risk Control (HIRARC) adalah satu pendekatan berstruktur untuk mengenalpasti, menilai dan mengawal risiko bahaya di tempat kerja. Untuk analisa risiko (RA), matrik penilaian risiko telah digunakan secara meluas. Matrik sediaada direkabentuk berdasarkan sesi sumbang saran yang menjadikan keputusan yang diambil hasil dar inya adalah berisiko digunakan. Ini kerana keputusan tersebut adalah berdasarkan pengalaman dn pengetahuan penilai semata-mata.

Objektif umum kajian ini adalah untuk menjalankan penilaian risiko keselamatan dan penilaian risiko kesihatan Risk Assessment for Safety and Risk Assessment for Health (RASH) Algoritma untuk pembinaan bangunan di Oman dan seterusnya membangunkan kaedah pengiraan untuk menilai RASH. Dengan menggunakan takrif keselamatan dan kesihatan yang telah dikenalpasti sebagai berisiko tahap tinggi, risiko utama dalam kajian ini telah dikelaskan kepada risiko keselamatan dan risiko kesihatan. Kemudian risiko keselamatan telah dirumuskan kepada 11 faktor dan risiko kesihatan kepada 8 faktor. Algoritma RASH ditakrifkan oleh risiko keseluruhan yang menjumlahkan risiko keselamatan keselamatan, risiko keselamatan kesihatan, risiko kesihatan keselamatan, dan risiko kesihatan kesihatan.

Dengan menggunakan dua kategori tersebut di atas, empat senario telah direkabentuk mencerminkan empat zon dalam matriks risiko keselamatan dan kesihatan pekerjaan. Kemudian, 40 pakar keselamatan dan kesihatan terlibat untuk penilaian risiko menggunakan kaedah analisis risiko (RA) sedia ada dan kaedah baru yang dicadangkan (RASH). Ujian Wilcoxon Ranked telah digunakan untuk menilai perbezaan kepentingan antara kedua-dua kaedah. Terdapat perbezaan di antara peratusan jawapan diperbetulkan dalam dua kaedah (RASH) 75 % dan (RA) 40%. Keputusan mendedahkan bahawa kedua-dua kaedah mempunyai perbezaan kepentingan yang jauh berbeza ($z = 0.357$, $p > 0.01$). Responden juga cenderung

untuk menganggar risiko pada tahap yang tinggi walaupun keadaan tersebut selamat. Keputusan yang kerap sebegini akan memberi implikasi pada kos dan masa.

Didapati 60% daripada komponen penilaian menggunakan RA berkemungkinan tersilap dalam membuat anggaran. Daripada analisa keputusan, adalah disyorkan untuk tidak bergantung pada RA semata mata dalam penilaian risiko dan penyediaan pelan mitigasi organisasi. Kajian ini mencadangkan agar RASH digunakan sebagai kaedah alternatif untuk mengesahkan penilaian risiko kaedah RA. Kesimpulannya kaedah RASH didapati memberikan kesan yang lebih tepat untuk membuat penilaian risiko keselamatan dan kesihatan dalam pembinaan bangunan di Oman.



ACKNOWLEDGEMENT

I would like to acknowledge the effort, support, guidance, cooperation and encouragement of the numerous people who have made it possible for me to undertake this study. I wish to express my sincere gratitude to my supervisor, Assoc.Prof.Dr.Khalina binti Abdan, for her patience, guidance, encouragement and support in shaping the outlook of this thesis. She provided invaluable insights that have guided my thinking and understanding.

I am grateful to all other committee members from Universiti Putra Malaysia (UPM), including Assoc. Prof.Dr.Nor Mariah Adam and Assoc. Prof.Dr.IrAzmi bin Dato' Yahya, and from Sultan Qaboos University (SQU), including Assoc.Prof.Dr. Ali Al Nuaimi, for their support, encouragement and facilitation. I would also like to thank all of the respondents and key informants who answered my questions and enabled me to complete this study.

Last but not least, my appreciation goes to the Ministry of Manpower (Oman), the Public Authority for Social Insurance (Oman), the International College of Engineering and Management (Oman), the Al Ghubrah Power and Desalination Company (SAOC; Oman), and the Block 60 Health Safety and Environment Department at Oman Oil Company—Exploration & Production LLC (OOCEP) for their provision of raw data, continued support, and interaction during the research work. My thanks and appreciations are extended to all those who agreed to participate in interviews and discussions during the preparations of the questionnaire.

I certify that a Thesis Examination Committee has met on 21 April 2015 to conduct the final examination of Saud Said Khalfan Ai-Anbari on his thesis entitled "Risk Assessment for Safety and Health Algorithm for Building Construction in Oman" in accordance with the Universities and University Colleges Act 1971 and the Constitution of the Universiti Putra Malaysia [P.U.(A) 106] 15 March 1998. The Committee recommends that the student be awarded the Doctor of Philosophy.

Members of the Thesis Examination Committee were as follows:

Zulkiflle bin Leman, PhD
Associate Professor
Faculty of Engineering
Universiti Putra Malaysia
(Chairman)

Luqman Chuah Abdullah, PhD
Professor
Faculty of Engineering
Universiti Putra Malaysia
(Internal Examiner)

Desa bin Ahmad, PhD
Professor Ir.
Faculty of Engineering
Universiti Putra Malaysia
(Internal Examiner)

Mohamed Ahmed Aichouni, PhD
Professor
University of Hail
Saudi Arabia
(External Examiner)



ZULKARNAIN ZAINAL, PhD
Professor and Deputy Dean
School of Graduate Studies
Universiti Putra Malaysia

Date: 17 June 2015

This thesis submitted to the Senate of Universiti Putra Malaysia and has been accepted as fulfilment of the requirement for the degree of Doctor of Philosophy
The members of the Supervisory Committee were as follows:

Khalina binti Abdan, PhD

Associate. Professor
Faculty of Engineering
Universiti Putra Malaysia
(Chairman)

Nor Mariah Bt Adam, PhD

Associate. Professor
Faculty of Engineering
Universiti Putra Malaysia
(Member)

Azmi bin Dato Haji Yahya, PhD

Associate. Professor
Faculty of Engineering
Universiti Putra Malaysia
(Member)

Ali Said Al-Nuaimi, PhD

Associate. Professor
College of Engineering
Sultan Qaboos University
Oman
(Member)

BUJANG BIN KIM HUAT, PhD

Professor and Dean School of Graduate
Studies
Universiti Putra Malaysia

Date: April 2015

Declaration by graduate student

I hereby confirm that:

- this thesis is my original work;
- quotations, illustrations and citations have been duly referenced;
- this thesis has not been submitted previously or concurrently for any other degree at any other institutions;
- intellectual property from the thesis and copyright of thesis are fully-owned by Universiti Putra Malaysia, as according to the Universiti Putra Malaysia (Research) Rules 2012;
- Written permission must be obtained from supervisor and the office of Deputy Vice-Chancellor (Research and Innovation) before thesis is published (in the form of written, printed or in electronic form) including books, journals, modules, proceedings, popular writings, seminar papers manuscripts, posters, reporters, lecture notes, learning modules or any other materials as stated in the Universiti Putra Malaysia (Research) Rules 2012;
- there is no plagiarism or data falsification/fabrication in the thesis, and scholarly integrity is upheld as according to the Universiti Putra Malaysia (Graduate Studies) Rules 2003 (Revision 2012-2013) and the Universiti Putra Malaysia (Research) Rules 2012. The thesis has undergone plagiarism detection software.

Signature: _____ Date: April 2015

Name and Matric No: Saud Al-Anbari GS26879

Declaration by Members of Supervisory Committee

This is to confirm that:

- the research conducted and the writing of this thesis was under our supervision;
- Supervision responsibilities as stated in the Universiti Putra Malaysia (graduate studies) rules 2003 (revision 2012-2013) are adhered to.

Signature: _____
Name of
Chairman of
Supervisory
Committee: _____

Signature: _____
Name of
Member of
Supervisory
Committee: _____

Signature: _____
Name of
Member of
Supervisory
Committee: _____

Signature: _____
Name of
Member of
Supervisory
Committee: _____

TABLE OF CONTENTS

	ABSTRACT	Page
	ABSTRAK	i
	ACKNOWLEDGEMENTS	iii
	APPROVAL	v
	DECLARATION	vi
	LIST OF TABLES	vii
	LIST OF FIGURES	xiii
	LIST OF APPENDICES	xiv
		xvi
 	CHAPTER	
1	INTRODUCTION	1
1.1	Background	1
1.2	Purpose of RASH	3
1.3	Project scope	3
1.4	Objectives	4
 	2 LITERATURE REVIEW	5
2.1	Construction hazards in Oman	5
2.1.1	Occupational hazard classifications	8
2.2	Identification of safety and health risks	9
2.2.1	Construction key risks	9
2.2.2	Occupational risk assessment methods	9
2.3	Difference between safety and health	12
2.3.1	Safety definitions	12
2.3.2	Health definitions	13
2.4	Likelihood and consequence definitions	13
2.4.1	Likelihood definitions	13
2.4.2	Consequence definitions	14
2.5	Background of the risk matrix application	14
2.6	Types of risk matrices	15
2.7	Issues in using risk matrices	16
2.8	Occupational safety and health in Oman	17
2.9	Summery	20
 	3 METHODOLOGY	22
3.1	Risk identification process	22
3.2	Field survey using Likert scale	27
3.2.1	Pilot questionnaire	27
3.2.2	Residential commercial construction building in Oman	27
3.2.3	Total worker force and population	28
3.3	Raw data and analysis	28
3.3.1	Data from local authorities	28
3.3.2	HAZID report data	29
3.3.3	Sample size	29
3.3.4	Survey data	29
3.4	Creation of scenarios	31

3.4.1	Semi-quantitative risk assessment	31
3.4.2	Development of safety and health scenarios	31
3.4.3	Data analysis	32
3.5	RASH calculation and algorithm	36
3.5.1	Risk matrices in building construction	38
3.5.1.1	Examples of safety and health matrix in building construction	38
3.5.1.2	Safety matrix and health matrix	40
3.5.2	RASH matrices	42
3.5.2.1	Matrix for risk safety safety (R_{SS})	42
3.5.2.2	Matrix for risk health health (R_{HH})	42
3.5.2.3	R_{SH} & R_{HS} matrix	43
3.5.3	Testing and generating matrices in RASH	48
3.5.3.1	Testing the risk safety safety matrix	48
3.5.3.2	Testing the risk health health matrix	48
3.5.3.3	Generating risk safety health (R_{SH})	48
3.5.3.4	Generating risk health safety (R_{HS})	52
3.5.4	RASH assessment matrix	53
3.5.5	Summary of RASH process	58
3.5.5.1	Evaluating likelihoods	58
3.5.5.2	Evaluating consequences	58
3.5.5.3	Overall risk	58
3.6	Methods of comparing RA and new methods	58
4	RESULTS AND DISCUSSION	60
4.1	Building construction workers questionnaire	60
4.1.1	Demographics	61
4.1.2	Risk assessment issues	65
4.1.3	Risk assessment essentials	67
4.1.4	Attitudes and perceptions in risk assessments	69
4.1.5	Building construction key activities	71
4.1.6	Risk assessment process	72
4.1.7	Summary	73
4.2	Data and analyses	73
4.2.1	RA method analyses	73
4.2.2	Risk matrix algorithm	74
4.2.3	Assessment equations	76
4.2.3.1	Numerical example calculation	77
4.2.4	Identified risks	79
4.3	Comparative analyses of RA and RASH	79
4.3.1	First scenario	79
4.3.2	Second scenario	80
4.3.3	Third scenario	81
4.3.4	Fourth scenario	81
4.4	Statistical tests	81
4.4.1	Average difference error range	81
4.4.2	Percentage of the correct scenarios	82
4.4.3	Percentage of overall correct answers	83
4.4.4	Wilcoxon ranked test	84

5 SUMMARY, CONCLUSION AND RECOMMENDATIONS FOR FUTURE RESEARCH	85
5.1. Suggestions for the study	85
5.2. Suggestions for local authorities	86
5.3. Recommendations for further studies	87
5.4. Concluding remarks	87
REFERENCES	89
APPENDICES	97
BIODATA OF STUDENT	172
LIST OF PUBLICATIONS	173



LIST OF TABLES

Table		Page
2.1	Key risks of individual project objectives, as identified by Zou	9
2.2	Distribution of active insured employees by years of service & gender during December 2013	17
2.3	OSH and allied health personal employed in Oman by qualification & Omanization	17
2.4	Distribution of 1084 occupationally related injuries	18
3.1	Process of risk assessment for hazards in construction sites	22
3.2	Registered Omani work force between 2005 and 2012	28
3.3	Questionnaire scenarios	33
3.4	Matrix values and evaluation	44
3.5	Values of likelihood and consequence	45
3.6	Typical 5-level likelihoods and consequences for the occupational safety and health matrix	53
3.7	Risk assessment matrix zones	53
3.8	RASH assessment matrix	54
3.9	RASH boundaries	55
3.10	Reference terms for likelihood safety (L_S) and likelihood health (L_H)	56
3.11	RASH category ranking	57
4.1	Respondents' awareness of risk assessment issues	66
4.2	Respondents' responses to "How important is each of the following to you when assessing occupational safety and health in the workplace"	68
4.3	Respondents' attitudes and perceptions regarding occupational risk assessments for safety and health in the workplace	70
4.4	Respondents' responses to "How often do you face the potential for fatality or accident in the following activities?"	71
4.5	Respondents' responses to "How often do you do the following at the construction site"	72
4.6	HSE experts' risk assessment evaluations using the RA method	73
4.7	HSE experts' risk assessment evaluations using the new method (RASH)	75
4.8	Risks evaluated by each HSE expert using the RA and new method (RASH)	79
4.9	Wilcoxon ranked test between the RA and the new method	84

LIST OF FIGURES

Figure		Page
1.1	Sultanate of Oman map	2
2.1	Percentage of fatalities and LWDC by activity in Oman between 2005 and 2012	6
2.2	Percentage of occupational body part injuries in Oman between 2005 and 2012	7
2.3	Examples of 3 x 3, 5 x 5 and 10 x 10 matrices	15
2.4	The Relative distribution of work injuries cases by age group during 2013	18
3.1	Research summary procedure	24
3.2	Key risk identification in the research	25
3.3	Summary of RASH algorithm	26
3.4	Summary of RASH analysis	26
3.5	Example of a safety and health construction matrix in Oman	38
3.6	Example of 5 X 5 safety risk matrix	40
3.7	Example of 5 X 5 health risk matrix	41
3.8	Extracted risk safety safety matrix (RSS)	42
3.9	Extracted risk health health matrix (RHH)	43
3.10	Similarity and difference zones between the safety matrix and the health matrix	43
3.11	Named 5 X 5 matrix cells in alphabetical order	44
3.12	The normal distribution of risk zones in the 5 X 5 matrix	46
3.13	Anbari strength matrix	46
3.14	Key matrix for the safety matrix and the health matrix	47
3.15	Evaluation for cells L3XC3 and L4XC4 in the key matrix	47
3.16	Cell evaluation for the safety safety matrix (RSS) in the key matrix	48
3.17	Cell evaluation for health health matrix (RHH) in the key matrix	48
3.18	Default values for L4XC4 and L3XC3 in the health healthmatrix (RHH) after using the Anbari strength matrix	49
3.19	Modifiedhealth healthmatrix (RHH) after using the Anbari strength matrix	50
3.20	Cell evaluation for safety health matrix (RSH) in the key matrix by applying the Anbari strength matrix	50
3.21	Cell evaluation for safety health matrix (RSH) in the key matrix after applying the Anbari strength matrix	51
3.22	Generated safety health matrix (RSH)	51
3.23	Cell evaluation for the health safety matrix (RHS) in the key matrix by applying the Anbari strength matrix	52
3.24	Cell evaluation for the health safety matrix (RHS) in the key matrix after applying the Anbari strength matrix	52
3.25	Generated health safety matrix (RHS)	53
4.1	Age distribution (in percentages) among the questionnaire participants	61
4.2	Education distribution (in percentages) among the questionnaire participants	62

4.3	Type of organization (in percentages) for the questionnaire participants	63
4.4	Specialization (in percentages) for the questionnaire participants	63
4.5	Types of projects(in percentages) participants are involved in	63
4.6	Participants' work experience (in percentages)	64
4.7	Participants' fatalities (in percentages) during their work experience	65
4.8	Participants' major incidents (in percentages) during their work experience	65
4.9	Average difference error range between the RA and the new method	82
4.10	Percentage of corrected scenarios between the RA and the new method	83
4.11	Percentage of overall correct answers in the RA and the new method	83

LIST OF APPENDICES

Appendix		Page
A	Safety Hazards Categories	98
B	Health Hazards Categories	99
C	List of Safety Definitions	100
D	List of Health Definitions	104
E	List of Likelihood Definitions	107
F	List of Consequences Definitions	109
G	Building Construction Survey	112
H	Worker Questionnaires	129
I	S&H Questionnaires First Scenario	137
J	S&H Questionnaires Second Scenario	145
K	S&H Questionnaires Third Scenario	153
L	S&H Questionnaires Fourth Scenario	161
M	Raw Data for RASH calculation	169



**RISK ASSESSMENT FOR SAFETY AND HEALTH ALGORITHM FOR BUILDING
CONSTRUCTION IN OMAN**

By

SAUD SAID AL-ANBARI

**Thesis Submitted to the School of Graduate Studies, Universiti Putra Malaysia,
Faculty of Engineering, in Fulfilment of the Requirements for the Degree of
Doctor of Philosophy**

April 2015

COPYRIGHT

All material contained within the thesis, including without limitation text, logos, icons, photographs, and all other artwork, is copyright material of Universiti Putra Malaysia unless otherwise stated. Use may be made of any material contained within the thesis for non-commercial purposes from the copyright holder. Commercial use of material may only be made with the express, prior, written permission of Universiti Putra Malaysia.

Copyright© Universiti Putra Malaysia



Abstract of thesis presented to the Senate of Universiti Putra Malaysia in Fulfilment
of the requirement for the degree of Doctor of Philosophy

**RISK ASSESSMENT FOR SAFETY AND HEALTH ALGORITHM FOR
BUILDING CONSTRUCTION IN OMAN**

By

SAUD SAID AL-ANBARI

April 2015

Chairman: Khalina binti Abdan, PhD
Faculty: Engineering

Building construction is extremely hazardous. Numerous fatal and non-fatal vocational injuries occur due to the unique nature of the building construction workplace. The swift expansion of the Omani economy has led to the extensive expansion of infrastructure and resources in the construction sector. Hazard Identification, Risk Assessment and Risk Control (HIRARC) is a structured approach for identifying, evaluating and controlling hazards in the work place. Risk assessment matrices are widely used to evaluate risks related to such hazards. Existing risk matrices are designed based on brainstorming sessions, which may make these matrices risky to use because such sessions are based mainly on experience and knowledge about the decision at hand.

The general objective of this study is to carry out a Risk Assessment for Safety and Health (RASH) algorithm for building construction in Oman and to develop a calculation methodology to evaluate safety and health. The RASH algorithm is defined by overall risk, which is equivalent to the sum of Risk Safety Safety, Risk Safety Health, Risk Health Safety, and Risk Health Health. By implementing definitions of safety and health on the identified extreme and high-risk levels, the key risks in this study have been classified into safety risks and health risks. Then, the safety risks have been categorized into 11 factors, and the health risks have been categorized into 8 factors.

Using these two categories of risk, four scenarios reflecting the four zones of the occupational safety and health risk matrix were designed. Then, 40 safety and health specialists were involved in carrying out a risk assessment using the existing method of risk analysis (RA) and the new proposed method of RASH. The Wilcoxon Ranked Test was applied to evaluate the differences between these two methods. It was found that there were differences between the percentages of correct answers found by the two methods, as follows: 75% of RASH answers were correct, and 40% of RA answers were correct. The results revealed that the two methods are significantly different ($z=0.357$, $p < 0.01$). It was also found that RA respondents tend to overestimate risk, even when conditions were very safe. This common mistake has cost and time implications in construction activities.

It was found that 60% of evaluations using RA might be estimated mistakenly. From the analysed results, it is recommended that organizations refrain from relying on the RA to prepare risk assessments and mitigation plans. Instead, it is suggested that results be verified with an alternative method of assessing risk, such as RASH. In conclusion, RASH is an alternative and effective method for the assessment of safety and health risks in building construction in Oman.



Abstrak tesis yang dikemukakan kepada Senat Universiti Putra Malaysia sebagai memenuhi keperluan untuk ijazah Doktor Falsafah

ALGORITMA PENILAIAN RISIKO UNTUK KESELAMATAN DAN KESIHATAN PEKERJAAN UNTUK PEMBINAAN BANGUNAN DI OMAN

Oleh

SAUD SAID AL-ANBARI

April 2015

Pengerusi: Prof.Madya Khalina binti Abdan, PhD
Fakulti: Kejuruteraan

Pembinaan bangunan adalah suatu tempat kerja yang sangat berbahaya di mana kecederaan vokasional boleh membawa maut atau tidak paling kerap berlaku disebabkan aktiviti kerja yang unik dan berbahaya. Pengembangan pantas ekonomi Oman telah membawa kepada peningkatan tinggi pada infrastruktur dan sumber dalam sektor ini. Pengenalpastian bahaya, penilaian risiko dan pengawalan risiko Hazard Identification, Risk Assessment & Risk Control (HIRARC) adalah satu pendekatan berstruktur untuk mengenalpasti, menilai dan mengawal risiko bahaya di tempat kerja. Untuk analisa risiko (RA), matrik penilaian risiko telah digunakan secara meluas. Matrik sediaada direkabentuk berdasarkan sesi sumbang saran yang menjadikan keputusan yang diambil hasil dar inya adalah berisiko digunakan. Ini kerana keputusan tersebut adalah berdasarkan pengalaman dn pengetahuan penilai semata-mata.

Objektif umum kajian ini adalah untuk menjalankan penilaian risiko keselamatan dan penilaian risiko kesihatan Risk Assessment for Safety and Risk Assessment for Health (RASH) Algoritma untuk pembinaan bangunan di Oman dan seterusnya membangunkan kaedah pengiraan untuk menilai RASH. Dengan menggunakan takrif keselamatan dan kesihatan yang telah dikenalpasti sebagai berisiko tahap tinggi, risiko utama dalam kajian ini telah dikelaskan kepada risiko keselamatan dan risiko kesihatan. Kemudian risiko keselamatan telah dirumuskan kepada 11 faktor dan risiko kesihatan kepada 8 faktor. Algoritma RASH ditakrifkan oleh risiko keseluruhan yang menjumlahkan risiko keselamatan keselamatan, risiko keselamatan kesihatan, risiko kesihatan keselamatan, dan risiko kesihatan kesihatan.

Dengan menggunakan dua kategori tersebut di atas, empat senario telah direkabentuk mencerminkan empat zon dalam matriks risiko keselamatan dan kesihatan pekerjaan. Kemudian, 40 pakar keselamatan dan kesihatan terlibat untuk penilaian risiko menggunakan kaedah analisis risiko (RA) sedia ada dan kaedah baru yang dicadangkan (RASH). Ujian Wilcoxon Ranked telah digunakan untuk menilai perbezaan kepentingan antara kedua-dua kaedah. Terdapat perbezaan di antara peratusan jawapan diperbetulkan dalam dua kaedah (RASH) 75 % dan (RA) 40%. Keputusan mendedahkan bahawa kedua-dua kaedah mempunyai perbezaan kepentingan yang jauh berbeza ($z = 0.357$, $p > 0.01$). Responden juga cenderung

untuk menganggar risiko pada tahap yang tinggi walaupun keadaan tersebut selamat. Keputusan yang kerap sebegini akan memberi implikasi pada kos dan masa.

Didapati 60% daripada komponen penilaian menggunakan RA berkemungkinan tersilap dalam membuat anggaran. Daripada analisa keputusan, adalah disyorkan untuk tidak bergantung pada RA semata mata dalam penilaian risiko dan penyediaan pelan mitigasi organisasi. Kajian ini mencadangkan agar RASH digunakan sebagai kaedah alternatif untuk mengesahkan penilaian risiko kaedah RA. Kesimpulannya kaedah RASH didapati memberikan kesan yang lebih tepat untuk membuat penilaian risiko keselamatan dan kesihatan dalam pembinaan bangunan di Oman.



ACKNOWLEDGEMENT

I would like to acknowledge the effort, support, guidance, cooperation and encouragement of the numerous people who have made it possible for me to undertake this study. I wish to express my sincere gratitude to my supervisor, Assoc.Prof.Dr.Khalina binti Abdan, for her patience, guidance, encouragement and support in shaping the outlook of this thesis. She provided invaluable insights that have guided my thinking and understanding.

I am grateful to all other committee members from Universiti Putra Malaysia (UPM), including Assoc. Prof.Dr.Nor Mariah Adam and Assoc. Prof.Dr.IrAzmi bin Dato' Yahya, and from Sultan Qaboos University (SQU), including Assoc.Prof.Dr. Ali Al Nuaimi, for their support, encouragement and facilitation. I would also like to thank all of the respondents and key informants who answered my questions and enabled me to complete this study.

Last but not least, my appreciation goes to the Ministry of Manpower (Oman), the Public Authority for Social Insurance (Oman), the International College of Engineering and Management (Oman), the Al Ghubrah Power and Desalination Company (SAOC; Oman), and the Block 60 Health Safety and Environment Department at Oman Oil Company—Exploration & Production LLC (OOCEP) for their provision of raw data, continued support, and interaction during the research work. My thanks and appreciations are extended to all those who agreed to participate in interviews and discussions during the preparations of the questionnaire.

I certify that a Thesis Examination Committee has met on to conduct the final examination of SAUD AL-ANBARI Mattar on his thesis entitled "RISK ASSESSMENT ALGORITHM FOR SAFETY AND HEALTH (RASH) FOR CONSTRUCTION OF BUILDINGS IN OMAN" in accordance with the Universities and University Colleges Act 1971 and the Constitution of the Universiti Putra Malaysia [P.U.(A) 106] 15 March 1998. The Committee recommends that the student be awarded the PhD of Engineering.

Members of the Thesis Examination Committee were as follows:

Replace with the copy from out



NORITAH OMAR, PhD

Associate Professor and Deputy Dean

School of Graduate Studies

Universiti Putra Malaysia

Date

This thesis submitted to the Senate of Universiti Putra Malaysia and has been accepted as fulfilment of the requirement for the degree of Doctor of Philosophy
The members of the Supervisory Committee were as follows:

Khalina binti Abdan, PhD

Associate. Professor
Faculty of Engineering
Universiti Putra Malaysia
(Chairman)

Nor Mariah Bt Adam, PhD

Associate.Professor
Faculty of Engineering
Universiti Putra Malaysia
(Member)

Azmi bin Dato Haji Yahya, PhD

Associate.Professor
Faculty of Engineering
Universiti Putra Malaysia
(Member)

Ali Said Al-Nuaimi, PhD

Associate.Professor
College of Engineering
Sultan Qaboos University
Oman
(Member)

BUJANG BIN KIM HUAT, PhD

Professor and Dean
School of Graduate Studies
Universiti Putra Malaysia

Date:

Declaration by graduate student

I hereby confirm that:

- this thesis is my original work;
- quotations, illustrations and citations have been duly referenced;
- this thesis has not been submitted previously or concurrently for any other degree at any other institutions;
- intellectual property from the thesis and copyright of thesis are fully-owned by Universiti Putra Malaysia, as according to the Universiti Putra Malaysia (Research) Rules 2012;
- Written permission must be obtained from supervisor and the office of Deputy Vice-Chancellor (Research and Innovation) before thesis is published (in the form of written, printed or in electronic form) including books, journals, modules, proceedings, popular writings, seminar papers manuscripts, posters, reporters, lecture notes, learning modules or any other materials as stated in the Universiti Putra Malaysia (Research) Rules 2012;
- there is no plagiarism or data falsification/fabrication in the thesis, and scholarly integrity is upheld as according to the Universiti Putra Malaysia (Graduate Studies) Rules 2003 (Revision 2012-2013) and the Universiti Putra Malaysia (Research) Rules 2012. The thesis has undergone plagiarism detection software.

Signature: _____ Date: April 2015

Name and Matric No: Saud Al-Anbari GS26879

Declaration by Members of Supervisory Committee

This is to confirm that:

- the research conducted and the writing of this thesis was under our supervision;
- Supervision responsibilities as stated in the Universiti Putra Malaysia (graduate studies) rules 2003 (revision 2012-2013) are adhered to.

Signature: _____
Name of
Chairman of
Supervisory
Committee: _____

Signature: _____
Name of
Member of
Supervisory
Committee: _____

Signature: _____
Name of
Member of
Supervisory
Committee: _____

Signature: _____
Name of
Member of
Supervisory
Committee: _____

TABLE OF CONTENTS

	ABSTRACT	Page
	ABSTRAK	i
	ACKNOWLEDGEMENTS	iii
	APPROVAL	v
	DECLARATION	vi
	LIST OF TABLES	viii
	LIST OF FIGURES	xiii
	LIST OF APPENDICES	xiv
	CHAPTER	xvi
1	INTRODUCTION	1
1.1	Background	1
1.2	Purpose of RASH	3
1.3	Project scope	3
1.4	Objectives	4
2	LITERATURE REVIEW	5
2.1	Construction hazards in Oman	5
2.1.1	Occupational hazard classifications	7
2.2	Identification of safety and health risks	9
2.2.1	Construction key risks	9
2.2.2	Occupational risk assessment methods	9
2.3	Difference between safety and health	12
2.3.1	Safety definitions	12
2.3.2	Health definitions	13
2.4	Likelihood and consequence definitions	13
2.4.1	Likelihood definitions	13
2.4.2	Consequence definitions	14
2.5	Background of the risk matrix application	14
2.6	Types of risk matrices	15
2.7	Issues in using risk matrices	16
2.8	Occupational safety and health in Oman	17
2.9	Summery	19
3	METHODOLOGY	21
3.1	Risk identification process	21
3.2	Field survey using Likert scale	26
3.2.1	Pilot questionnaire	26
3.2.2	Residential commercial construction building in Oman	26
3.2.3	Total worker force and population	27
3.3	Raw data and analysis	27
3.3.1	Data from local authorities	27
3.3.2	HAZID report data	28
3.3.3	Sample size	28
3.3.4	Survey data	28
3.4	Creation of scenarios	30

3.4.1	Semi-quantitative risk assessment	30
3.4.2	Development of safety and health scenarios	30
3.4.3	Data analysis	31
3.5	RASH calculation and algorithm	35
3.5.1	Risk matrices in building construction	37
3.5.1.1	Examples of safety and health matrix in building construction	37
3.5.1.2	Safety matrix and health matrix	38
3.5.2	RASH matrices	39
3.5.2.1	Matrix for risk safety safety (R_{SS})	39
3.5.2.2	Matrix for risk health health (R_{HH})	40
3.5.2.3	R_{SH} & R_{HS} matrix	41
3.5.3	Testing and generating matrices in RASH	46
3.5.3.1	Testing the risk safety safety matrix	46
3.5.3.2	Testing the risk health health matrix	47
3.5.3.3	Generating risk safety health (R_{SH})	49
3.5.3.4	Generating risk health safety (R_{HS})	50
3.5.4	RASH assessment matrix	51
3.5.5	Summary of RASH process	56
3.5.5.1	Evaluating likelihoods	56
3.5.5.2	Evaluating consequences	57
3.5.5.3	Overall risk	57
3.6	Methods of comparing RA and new methods	57
4	RESULTS AND DISCUSSION	58
4.1	Building construction workers questionnaire	58
4.1.1	Demographics	59
4.1.2	Risk assessment issues	63
4.1.3	Risk assessment essentials	65
4.1.4	Attitudes and perceptions in risk assessments	67
4.1.5	Building construction key activities	69
4.1.6	Risk assessment process	70
4.1.7	Summary	71
4.2	Data and analyses	72
4.2.1	RA method analyses	72
4.2.2	Risk matrix algorithm	74
4.2.3	Assessment equations	75
4.2.3.1	Numerical example calculation	76
4.2.4	Identified risks	78
4.3	Comparative analyses of RA and RASH	78
4.3.1	First scenario	79
4.3.2	Second scenario	80
4.3.3	Third scenario	80
4.3.4	Fourth scenario	80
4.4	Statistical tests	80
4.4.1	Average difference error range	81
4.4.2	Percentage of the correct scenarios	81
4.4.3	Percentage of overall correct answers	82
4.4.4	Wilcoxon ranked test	83

5 SUMMARY, CONCLUSION AND RECOMMENDATIONS FOR FUTURE RESEARCH	84
5.1. Suggestions for the study	84
5.2. Suggestions for local authorities	85
5.3. Recommendations for further studies	86
5.4. Concluding remarks	86
REFERENCES	88
APPENDICES	96
BIODATA OF STUDENT	171
LIST OF PUBLICATIONS	172



LIST OF TABLES

Table		Page
2.1	Key risks of individual project objectives, as identified by Zou	9
2.2	Distribution of active insured employees by years of service & gender during December 2013	17
2.3	OSH and allied health personal employed in Oman by qualification & Omanization	17
2.4	Distribution of 1084 occupationally related injuries	18
3.1	Process of risk assessment for hazards in construction sites	21
3.2	Registered Omani work force between 2005 and 2012	27
3.3	Questionnaire scenarios	32
3.4	Matrix values and evaluation	42
3.5	Values of likelihood and consequence	43
3.6	Typical 5-level likelihoods and consequences for the occupational safety and health matrix	52
3.7	Risk assessment matrix zones	52
3.8	RASH assessment matrix	53
3.9	RASH boundaries	54
3.10	Reference terms for likelihood safety (L_S) and likelihood health (L_H)	55
3.11	RASH category ranking	56
4.1	Respondents' awareness of risk assessment issues	64
4.2	Respondents' responses to "How important is each of the following to you when assessing occupational safety and health in the workplace"	66
4.3	Respondents' attitudes and perceptions regarding occupational risk assessments for safety and health in the workplace	68
4.4	Respondents' responses to "How often do you face the potential for fatality or accident in the following activities?"	70
4.5	Respondents' responses to "How often do you do the following at the construction site"	71
4.6	HSE experts' risk assessment evaluations using the RA method	73
4.7	HSE experts' risk assessment evaluations using the new method (RASH)	74
4.8	Risks evaluated by each HSE expert using the RA and new method (RASH)	78
4.9	Wilcoxon ranked test between the RA and the new method	83

LIST OF FIGURES

Figure		Page
1.1	Sultanate of Oman map	2
2.1	Percentage of fatalities and LWDC by activity in Oman between 2005 and 2012	6
2.2	Percentage of occupational body part injuries in Oman between 2005 and 2012	6
2.3	Examples of 3 x 3, 5 x 5 and 10 x 10 matrices	15
2.4	The Relative distribution of work injuries cases by age group during 2013	18
3.1	Research summary procedure	23
3.2	Key risk identification in the research	24
3.3	Summary of RASH algorithm	25
3.4	Summary of RASH analysis	25
3.5	Example of a safety and health construction matrix in Oman	37
3.6	Example of 5 X 5 safety risk matrix	38
3.7	Example of 5 X 5 health risk matrix	39
3.8	Extracted risk safety safety matrix (RSS)	40
3.9	Extracted risk health health matrix (RHH)	40
3.10	Similarity and difference zones between the safety matrix and the health matrix	41
3.11	Named 5 X 5 matrix cells in alphabetical order	42
3.12	The normal distribution of risk zones in the 5 X 5 matrix	44
3.13	Anbari strength matrix	44
3.14	Key matrix for the safety matrix and the health matrix	45
3.15	Evaluation for cells L3XC3 and L4XC4 in the key matrix	45
3.16	Cell evaluation for the safety safety matrix (RSS) in the key matrix	46
3.17	Cell evaluation for health health matrix (RHH) in the key matrix	47
3.18	Default values for L4XC4 and L3XC3 in the health healthmatrix (RHH) after using the Anbari strength matrix	47
3.19	Modifiedhealth healthmatrix (RHH) after using the Anbari strength matrix	48
3.20	Cell evaluation for safety health matrix (RSH) in the key matrix by applying the Anbari strength matrix	49
3.21	Cell evaluation for safety health matrix (RSH) in the key matrix after applying the Anbari strength matrix	49
3.22	Generated safety health matrix (RSH)	50
3.23	Cell evaluation for the health safety matrix (RHS) in the key matrix by applying the Anbari strength matrix	50
3.24	Cell evaluation for the health safety matrix (RHS) in the key matrix after applying the Anbari strength matrix	51
3.25	Generated health safety matrix (RHS)	51
4.1	Age distribution (in percentages) among the questionnaire participants	59
4.2	Education distribution (in percentages) among the questionnaire participants	60

4.3	Type of organization (in percentages) for the questionnaire participants	60
4.4	Specialization (in percentages) for the questionnaire participants	60
4.5	Types of projects(in percentages) participants are involved in	61
4.6	Participants' work experience (in percentages)	62
4.7	Participants' fatalities (in percentages) during their work experience	62
4.8	Participants' major incidents (in percentages) during their work experience	63
4.9	Average difference error range between the RA and the new method	81
4.10	Percentage of corrected scenarios between the RA and the new method	82
4.11	Percentage of overall correct answers in the RA and the new method	82

LIST OF APPENDICES

Appendix		Page
A	Safety Hazards Categories	97
B	Health Hazards Categories	98
C	List of Safety Definitions	99
D	List of Health Definitions	103
E	List of Likelihood Definitions	106
F	List of Consequences Definitions	108
G	Building Construction Survey	111
H	Worker Questionnaires	128
I	S&H Questionnaires First Scenario	136
J	S&H Questionnaires Second Scenario	144
K	S&H Questionnaires Third Scenario	152
L	S&H Questionnaires Fourth Scenario	160
M	Raw Data for RASH calculation	168

CHAPTER 1

INTRODUCTION

1.1 Background

Building construction is extremely hazardous. Numerous fatal and non-fatal vocational injuries occur due to the construction workplaces' unique nature (Hyoung et al., 2009). The risks in construction have a highly dynamic nature caused by the various feedback processes involved in the project life cycle (Nasirzadeh et al., 2008). Construction sites are characterized by the use of many diverse resources, continual changes, poor working conditions, unstable employment, and tough working environments (e.g., dust, noise, handling of cargo, vibration and direct weather exposure). In addition, legal records, documentation and statistical data created by companies are usually insufficient for risk determination (Emre et al., 2008). Moreover, building construction requires the coordination of different interdependent operations, sub-contractors and contractors, which may result in increased risk of injury. Therefore, there is a considerable need to develop an effective safety and health risk assessment procedure to improve construction project performance (Farnad et al., 2008). Risk assessments are used to assess risks and their target impacts, as well as to put corresponding measures in place for making decisions (Yuan et al., 2009).

The expeditious expansion of Oman's economy implies future colossal expansion of infrastructures and resources. Although this provides opportunities to estimate stakeholders' effectual safety and health, risk assessment methods to manage the risks associated with fluctuating building construction activities is important for implementing projects and project objectives, including safety, health, cost, time, quality and environmentally sustainable development.

Between 2013 and 2014, Omani construction industries witnessed a doubling in contracts awarded across sectors, from approximately US \$6,963 million to US \$12,648 million, following the continued expansionary fiscal policy of the government, which is likely to drive investment and growth across sectors in the long run (Research and Markets, 2013).

Oman (officially: the Sultanate of Oman) is an Arabian country located in the southwest of Asia on the southeast coast of the Arabian Peninsula. It has a strategically important position at the mouth of the Arabian Gulf (figure 1.1), where it is bordered by the United Arab Emirates(UAE)in the northwest, Saudi Arabia in the west and Yemen in the southwest. It also shares marine borders with Iran and Pakistan. Oman's coast is formed by the Arabian Sea in the southeast and the Gulf of Oman in the northeast.



Figure 1.1: Sultanate of Oman map

Identifying risk is the first step of the Risk Assessment of Safety and Health (RASH) method, in which potential risks associated with projects in construction are identified. As an integrative part of identifying risk, this classification of risk attempts to organize the various risks affecting building construction. The impacts of occupational illnesses and injuries affect not only safety and health, but also economics, due to the high costs associated with work injuries. Hinze et al. (2006) noted that safety and health in construction have obtained attention because of workers' increasing insurance compensation premiums, resulting from immense cost increases in medical care for convalescents and work injuries.

Building construction is one of the largest employment sources in any country, as well as one of the most dangerous and risky industries (Mriyas, 2009). In building construction, workers carry out a great variety of activities. Each activity is associated with a specific risk. Studies on causal analyses of accidents are widespread in the literature, including the literature on building construction (Cameron et al., 2008). Workers who perform a task are directly exposed to its associated risks and submissively exposed to risks produced by close co-workers. In addition, the technicians responsible for managing and controlling projects are also exposed to different risks (Barandan, 2004). Thus, there are a number of risk factors affecting safety in construction. These factors will be discussed in the following section.

Carrying out risk assessment enables control measures to be devised, which enables a subsequent analysis of the relative importance of risks. This can help in making decisions regarding which controls are the most cost effective and appropriate. According to a health and safety executive:

Risk assessment is not an end to itself. It is a means to better management of safety. It is a thinking process which enables management of determined priorities and allocates resources in a way which will better control or eliminate risks to health and safety at work. (Saravana et al., 2013)

Although, to date, there is no solid information regarding construction accidents in Oman, preliminary data collected by the Ministry of Health (Wafar 2009) show that occupational accidents and diseases represent a real burden to social and healthcare services. Studies on the burden of occupational injuries and diseases indicate that 4% of the world's Gross Domestic Product (GDP) is lost as a cost of these occupational injuries and diseases.

While this burden may represent a future concern, this area has not been previously researched by others. However, the hazards identified in building construction sites can be used as a model hazards. The developed risk evaluation process will, thus, be similar across locations, allowing it to be implemented in other workplaces. As a result, a general risk assessment procedure can be developed.

Generally, risk assessment is carried out in two parts: quantitative assessment and qualitative assessment. These two parts are not mutually exclusive. Qualitative assessment is easier, since the focal object's probability is estimated based upon known risk information and the applied circumstances being considered. In contrast, in quantitative risk, the assessment is subjective to personal judgments, which are backed by generalised risk data (MacAuslan, 1993). The aim of this study is to develop a new RASH methodology that reduces errors made during risk judgements.

1.2 Purpose of RASH

Although occupational health and safety are well established as the basis for developing health and safety standards, no methodology to estimate associated risks has been consistently applied in the derivation of occupational health and safety standards. Currently, the matrices used to estimate risk factors include people (workers), environment, property, cost and reputation. No clear distinctive matrix is made exclusively for occupational health and safety. The development of an independent matrix for occupational safety and health will protect workers from compromising their lives through other factors.

1.3 Project scope

The scope of this research comprises building construction projects in Oman handled by top contractors. Key risks in safety and health in building construction are carefully identified using data from local authorities, HAZID reports and scurries. Interview sessions were carried out with safety and health experts in the construction companies. Moreover, a field survey was distributed to workers and safety and health experts who worked with clients, contractors and consultants via questionnaires. The field survey targeted people who were directly involved in building construction projects. The research was conducted during the construction phase of 2013 and was limited to occupational risk assessment ORA using 5X5 matrices.

1.4 Objective

The general objective of this study is to develop an algorithm for the assessment of risks for safety and health (RASH) at building construction sites. More specifically, the study:

- 1) Defines the key risks in safety and health in building construction,
- 2) Develops a comprehensive method of risk assessment for safety and health in building construction, and
- 3) Evaluates the significance of the new proposed method against the existing method of risk assessment for safety and health.



REFERENCES

- Andersson, L. A new method based on the theory of fuzzy sets to obtaining an indication of risk. *Civil Engineering and Environmental Systems* 3. 1986 (3), 164–174.
- AS/NZS 4360:04 Risk management AS/NZS. 4360:2004.
- Asset management. New South Wales. TOTAL ASSET MANAGEMENT: Risk Management Guideline, viewed 10 September 2004.
- Aven, T. Foundations of Risk Analysis. John Wiley & Sons, Chichester, 2003.
- Ballal, T., Elhag, T. and Ambusaidy, S. 'Project risk management in Oman: a survey of risk practices in the construction industry', *CIB World Building Congress*, 2007, pp.549–557.
- Baradan S. and Usmen M. A. Comparative Injury and Fatality Risk Analysis of Building Trades, *Journal of Construction Engineering and Management*, ASCE, 2006, v132, n5, pp533-539.
- Bowling, A .Measuring Health: A Review of Quality of Life Measurment Scales. *Buckingham: OUP*, 1992.
- Brereton, S., McLouth, L., Odell, B., Singh, M., Tobin, M., Trent, M., Yatabe, J. Overview of the preliminary safety analysis of the national ignition facility. *Journal of Fusion Energy*. 1997,16 (1/2), 85–94.
- Chan, E.H.W and Au, M.C.Y. "Relationship between Organizational Sizes and Contractors' Risk Pricing Behaviors for Weather Risk under Different Project Values and Durations" *Journal of Construction Engineering and Management*, 2008,134(9) 673-680.
- Chenyan Liu. Occupational disease in China: The hidden blight. *CSR Asia Weekly*, 2005, Vol.1 Week 20.
- Cooper, D.F., Grey, S., Raymond, G., Walker, P. Project Risk Management Guidelines: Managing Risk in Large Projects and Complex Procurements. *John Wiley & Sons, Chichester*, 2004.
- Cordon O, Herrera F, Zwir I. Linguistic modelling by hierarchical systems of linguistic rules. *IEEE Transactions on Fuzzy Systems*, 2002, 10/1 : 2–20.
- Cox, L.A. Jr.What's Wrong with Risk Matrices. *Risk Analysis*, 2008, Vol. 28, No. 2,.
- Department of Transportation and Works Government of Newfoundland & Labrador, *Newfoundland Labrador*, Canada 2004.

- Elizabeth J. Jewell, Frank Abate. The New Oxford American Dictionary. 2001, p.1500. (a)
- Elizabeth J. Jewell, Frank Abate. The New Oxford American Dictionary. 2001, p.365 (b)
- Elizabeth J. Jewell , Frank Abate. The New Oxford American Dictionary. 2001, p.784(c).
- Elizabeth J. Jewell , Frank Abate. The New Oxford American Dictionary. 2001, p.988(d).
- EuanMacAuslan . Risk Assessment Course. Royal Borough of Kensington and Chelsea's Directorate of Environmental Health [online] <file:///C:/Users/anbars/Desktop/Health%20and%20safety%20risk%20assessments.pdf>. 1993, accessed 16 October 2013.
- FadzilJohar, Ahmad Mohayiddin. "Risk-Based Inspection and Maintenance in Asset Management Strategy". *The Monthly Bulletin of the Institution of Engineers*, Malaysia. June 2011.
- Franke, A. "Risk analysis in project management", *International Journal of Project Management*, 1987, 5(1), 29-34.
- Fung I. W., Tam V. W, Lo T. Y. and Lu L. H. Developing a Risk Assessment Model for construction safety, *International Journal of Project Management*, 2010, v 28 , pp593–600.
- Hale, A., Ale, B., Bellamy, L., Whiston, J., Mud, M., Papazoglou, I., Bloemhof, B., Post, J., Oh, J. Best practice in risk assessment: work accidents. In: *European Consumer Safety Association Conference*, Edinburgh, 20–21 April, 2005.
- Hammer, W., Price, D. Occupational Safety Management and Engineering, fifth ed. *Prentice Hall*, New Jersey. 2001.
- Herrera, F., Viedma, E.H. Linguistic decision analysis: steps for solving decision problems under linguistic information. *Fuzzy Sets and Systems*, 2000,115, 67–82.
- Hinze J., Jenny N. Devenport J. N. and Giang G. Analysis of construction worker injuries that do not result in lost time, *Journal of Construction Engineering and Management*, ASCE, 2006, v132, n3,pp321–326.
- Ho V. The Risk of Using Risk Matrix in Assessing Safety Risk, IOSH Technical Meeting 6, *HKARMS Safety Engineering Lecture Series*, 2010, 2.2.
- Hollnagel, E. Barriers and Accident Prevention. *Ashgate Publishing*, Hampshire. 2007.

- IEC (International Electro technical Commission). Dependability Management—Risk Analysis of Technological Systems (IEC 300-3-9). IEC, Geneva. 1995.
- Im H. J., Kwon Y. J., Kim S. G., Kim Y. K., Ju Y. S., and Lee H. P. The characteristics of fatal occupational injuries in Korea's construction industry, 1997–2004. *Safety Science*, 2009, v47, n8, pp1159–1162.
- Imriyas, K. An expert system for strategic control of accidents and insurers' risks in building construction projects, *Expert Systems with Applications*, 2009, v36, pp4021–4034.
- Industry to Jump 23% at \$10b [online] <http://oman.org.au/general-news/387> (accessed 1 February, 2011).
- International Council on Mining & Metals. *Good Practice Guidance on Occupational Health Risk Assessment*, 2009, p.83.
- ISO Guide 73:2009, definition 3.6.1.1. (a)
- ISO Guide 73:2009, definition 3.6.1.3. (b)
- James Franklin (2001), The Science of Conjecture: Evidence and Probability before Pascal, *The Johns Hopkins University Press*, 2001, ISBN 0-8018-7109-3.
- Jane Robinson, Ruth Elkan. Health Needs Assessment :Theory and Practice. 1996, p. 35.
- Jannadi, O.A. and Almishari, S. Risk Assessment in Construction. *Journal of Construction Engineering and Management*, 2003, 129(5), 492-500.
- Kangari, R. and Riggs, L.S. Construction Risk Assessment by Linguistics. *IEEE Transaction on Engineering Management*, 1989, 36(2), 126-131.
- Khan, F.I., Abassi, S.A. TOPHAZOP: a knowledge-based software tool for conducting HAZOP in a rapid, efficient yet inexpensive manner. *Journal of Loss Prevention in the Process Industries*, 1997, 10 (5–6), 333–343.
- Kliem, R.L., Ludin, I.S. Reducing Project Risk. Gower Publishing, Hampshire. Kouabenan, D.R., 2009. Role of beliefs in accident and risk analysis and prevention. *Safety Science*, 1997, 47 (6), 767–776.
- Kuchta, D. Use of Fuzzy numbers in project risk (criticality) assessment. *International Journal of Project Management*, 2001, 19, 305–310.
- Laura-Diana Radu.(2009).Qualitative, Semi-Quantitative and, Quantitative Methods For Risk Assessment: Case Of The Financial Audit,2009, P646.
- Lawley, H.G. Operability studies and hazard analysis. Chemical Engineering Progress, *American Institute of Chemical Engineers*, 1974, 70 (4), 45–56.
- Linguistic rules. *IEEE Transactions on Fuzzy Systems*, 2008,10 (1), 2–20.

- Liu, J., Yang, J., Wang, J., Sii, H., Wang, Y. Fuzzy rule-based evidential reasoning approach for safety analysis. *International Journal of General Systems*, 2004, 33 (2–3), 183–204.
- Longman Publishing. Longman Dictionary of the English Language. 1984. p.1309 (a)
- Longman Publishing. Longman Dictionary of the English Language. 1984. p.310 (b)
- Longman Publishing. Longman Dictionary of the English Language. 1984. p.677 (c)
- Longman Publishing. Longman Dictionary of the English Language. 1984. p.849 (d)
- Loosemore, M., Raftery, J., Reilly, C. Risk Management for Projects, second ed. 2006.
- M.SaravanaKumar, Dr.P.SenthilKumar. Hazard Identification and Risk Assessment in Foundry. *IOSR Journal of Mechanical and Civil Engineering (IOSR-JMCE)*, 2013, vol 2, PP 33-37.
- Maglaras, G. Experimental Comparison of Probabilistic Methods and Fuzzy Sets for Designing under Uncertainty. Virginia Polytechnic Institute and State University, Blacksburg, Virginia. Doctorate. 1995.
- Markowski, A., Mannan, Bigoszewska, A. Fuzzy logic for process safety analysis. *Journal of Loss Prevention in the Process Industries*, 2009, 22, 695–702.
- McCauley-Bell, P., Badiru, A. Fuzzy modeling and analytic hierarchy processing to quantify risk levels associated with occupational injuries part I: the development of fuzzy linguistic risk levels. *IEEE Transactions on Fuzzy Systems*. 1996 (a).
- Md. Anisul Islam, MdMiftaur Rahman. Productivity determinants in Oman construction Industry. *Int. J. Productivity and Quality Management*, 2013, Vol. 12, No. 4. Pp426-448.
- Multiple attribute decision making methodology. Computer-Aided Ergonomics and Safety, CAES 99, Barcelona.
- Mure, S., Demichela, M., Piccinini, N. Assessment of the risk of occupational accidents using a fuzzy approach. *Cognition, Technology & Work*, 2006, 8, 103–112.
- Nasirzadeh, F., Afshar, A., Khanzadi, M. and Howick, S. Integrating system dynamics and fuzzy logic modelling for construction risk management, *Construction Management and Economics*, 2008, v26, pp1197-1212.

Nunes, I.L., Ribeiro, R.A. ERGO X – the evaluation process by means of a fuzzy. 1999

Occupational Health and Safety Act, OHS. Act No. 85 of 1993, Department of Labour, Republic of South Africa, 1993, pp1-27. (www.labour.gov.za).

OHSAS 18001:2007

Occupational Health and Safety Program Manual. Department of Transportation & Works. Newfoundland and Labrador, Canada. 2004, Sec 6, pp 1-8.

Oman Chamber of Commerce and Industry. Annual Development Report [online] <http://www.chamberoman.com/pdf/ChamberAnnualReport2005.pdf> (accessed 16 October 2011).

Paek, J.H., Lee, Y.W. and Ock, J.H., “Pricing Construction Risks: Fuzzy Set Theory. *Journal of Construction Engineering and Management*, 1993, 119(4) 743-756.

Patrick X.W. Zou, Guomin Zhang, Jiayuan Wang. Understanding the key risks in construction projects in China. *International Journal of Project Management*. 2007, pp 601–614

Phil Hughes, Ed Ferrett. Introduction to health and safety in construction. 3rd Ed. *Elsevier Science*. 2008, p.2.

Philip Babcock Gove. Webster’s Third New International Dictionary of the English Language Unabridged. 1986, p.1043 (a)

Philip Babcock Gove. Webster’s Third New International Dictionary of the English Language Unabridged. 1986, p.1310 (b)

Philip Babcock Gove. Webster’s Third New International Dictionary of the English Language Unabridged. 1986, p.482 (c)

Pinto A, Nunes I.L, and Ribeiro R.A. Occupational Risk Assessment in Construction Industry - overview and reflection. *Safety Science*, 2011, v49,n5, pp616-24. (a)

Pinto A. QRAM a Qualitative Occupational Safety Risk Assessment Model for the construction industry that incorporate uncertainties by the use of fuzzy sets, *Safety Science*, 2014, v63, pp57- 76. (b)

Pinto, A., Nunes, I., Ribeiro, R. Qualitative model for risk assessment in construction industry: a fuzzy logic approach. In: Camarinha-Matos, L.M., Pereira, P., Ribeiro, L. (Eds.), *DoCEIS*, IFIP AICT, 2010, 314, pp. 105–111.

Pinto, A. Desenvolvimento de Base de ConhecimentoparaAnálise de Riscos em Estaleiros de Construção de Edifícios. [Development of the

Knowledge Base for Risk Analysis in Building Construction Sites]. M/Sc Dissertation. UniversidadeTécnica de Lisboa/Faculdade de Motricidade Humana. 2002

PricewaterhouseCoopersPwC Middle East Region, Oman [online] <http://www.pwc.com/m1/en/countries/oman.jhtml> (accessed 16 October 2012).

Qing Li. A novel Likert scale based on fuzzy sets theory. *Expert Systems with Applications*, 2013, volume 40, Issue 5, P 1609-1618

Random house. Random house webster's unabridged dictionary. 1997, p.1114. (a)

Random house. Random house webster's unabridged dictionary. 1997, p.433. (b)

Random house. Random house webster's unabridged dictionary. 1997, p.883. (c)

Research Congress, [ASCE Conference Proceedings 183, 137] April 5–7, 2008. San Diego, California.

Research and Markets: Oman Construction Report 2013 – Rising Potential from Unexpected Quarters. http://www.researchandmarkets.com/research/dsxgkb/oman_construction (accessed 14 July 2014).

Ringdahl, L.H. Relationships between accident investigations, risk analysis, and safety management. *Journal of Hazardous Materials*, 2004, 111, 13–19.

Risk management AS 4360, 2004.

Ru, W.G., Eloff, J.H.P. Risk analysis modelling with the use of fuzzy logic. *Computers and Security*, 2010, 15 (3), 239–248.

Sanchez, P. M. Neural-risk assessment system for construction projects: Proceedings Construction. 2005.

Saud Al-Anbari, Khalina A., Ali Alnuaimi, Normariah A., Yahya A. Safety and Health Risk Assessment at Oman Building Construction Projects. *International Journal of Research in Engineering and Technology*, 2013, vol; 02, Issu; 02.

Sevcik, F. Current and future concepts in FMEA. In: Proceedings – *Annual Reliability and Maintainability Symposium*, Philadelphia, PA, USA. 1981, pp. 414– 421.

Stuart D. Summerhayes. Design Risk management Construction to Health and Safety. 2010, p. 92. (a)

Stuart D. Summerhayes. Design Risk management Construction to Health and Safety. 2010, pp. 35-44. (b)

- Sultanate of Oman Tender board. Guidelines for Construction Works. <https://etendering.tenderboard.gov.om/product/publicDash> (accessed 6 March 2012).
- Taroun, A., Yang, J.B. and Lowe, D. Construction Risk Modelling and Assessment: Insights from a Literature Review. *The Built & Human Environment Review*. 2011, vol 4, Special Issue 1.
- The Consulate General of the Sultanate of Oman-Australia Govt. Spending in Construction. 2012.
- The 20th annual report. Public authority for social insurance.Sultanate of Oman. 2013, p.28.
- The 20th annual report. Public authority for social insurance.Sultanate of Oman. 2013, p.53.
- Tixier, J., Dusserre, G., Salvi, O., Gaston, D., 2002. Review of 62 risk analysis methodologies of industrial plants. *Journal of Loss Prevention in the Process Industries*, 2002, 15, 291–303.
- Venkatasubramanian, V. Intelligent systems for HAZOP analysis of complex process plants. *Computers and Chemical Engineering*, 2000, 24, 2291–2302.
- Victor Sousa V., Almeida N. M., and Dias L. A. Risk-based management of occupational safety and health in the construction industry – Part 1: Background knowledge, *Safety Science*, 2014, v66, pp75-86.
- Wall K. D. The Trouble With Risk Matrices, Naval Postgraduate School (DRMI), USA. 2011.
- Wang, Yousong, Yan Zhang, Sun Wah Poon, Haiying Huang. A Study of Construction Site Accidents. cibworld.xs4all.nl/dl/publications/Publ274/WANG.DOC March 18, 2011.
- Wafra N. The National Occupational Safety and Health Profile of The Sultanate Of Oman, Ministry Of Manpower in Collaboration with the International Labor Organization. 2009.
- William T Mcleod. The New Collins Dictionary and thesaurus in one Volume. 1988, p.206. (a)
- William T Mcleod. The New Collins Dictionary and thesaurus in one Volume. 1988, p.463. (b)
- William T Mcleod. The New Collins Dictionary and thesaurus in one Volume. 1988, p.581. (c)

Williams, T.M. "Risk management infrastructures", *International Journal of Project Management*, 1993, 11(1), 5-10.

World Health Organization. WHO definition of Health , Preamble to the Constitution of the World Health Organization as adopted by the International Health Conference, New York, 19–22 June 1946; signed on 22 July 1946 by the representatives of 61 States (Official Records of the World Health Organization, no. 2, p. 100) and entered into force on 7 April 1948.

World Health Organization. Constitution of the World Health Organization – Basic Documents, Forty-fifth edition, Supplement, October 2006.

Xiu-e Y. and Zhen Y. Z. Innovation project investment risk evaluation model, *International Conference on Future Bio Medical Information Engineering*, 2009 ,pp409-412.

Zadeh, L.A. Fuzzy sets. *Information and Control* , 1965 , 8, 338–353.(a)

Zadeh, L.A. Linguistic variables, approximate reasoning and dispositions. *Medical Informatics* , 1983 , 8 (3), 173–186. (b)

Zadeh, L.A. The concept of a linguistic variable and its application to approximate reasoning – part I. *Information Sciences* , 1975, 8, 199–249. (c)

Zadeh, L.A. PRUF-a meaning representation language for natural languages. *International Journal of Man-Machine Studies* , 1978, 10, 395–460. (d)

Zadeh, L.A.(1987). Test-score semantics as a basis for a computational approach to the representation of meaning. In: Zadeh, L.A., Yager, R.R., Ovchinnikov, S., Tong, R.M., Nguyen, H.T. (Eds.), *Fuzzy Sets and Applications: Selected Papers. John Wiley and Sons*, 1987, pp. 655–683. (e)